

Retail Food Establishment Inspection Report

Floyd County Health Department Telephone:812-948-4726

XUGO

Based on an inspection this day, the item(s) noted below identify violations of 410 IAC 7-24, Indiana Retail Food Establishment Sanitation Requirements.

The time limit for correction of each violation is specified in the narrative portion of this report.

The time in	mit for con	rectio	n of each violation is specified in the narrative portion of this	s report.				
Establishm	^ •			Telephone Number	Date of Ins (mm/dd/yr		PERMIT #	
White Castle				812 945 4080		•	19-355	
			mber and street, city, state, zip code)	WH 559 2548	2/27	120	' ' '	
/701 E	z. Spr	47	4 Now Albery, 12 47150	Purpose:	Follow-u	n Relea:	se Date	
While Castle Indian 114				(Routine	TES TODAY			
Owner's Address				2. Follow-up	Summary of Violations:			
555 W. Goodne St. Churchs, OH 43215				3. Complaint				
Person in C	harge	,		4. Pre-Operational	c <u> </u>	NC_	<u>7</u>	
Responsible	Mayl		<u>1 </u>	5. Temporary	Menu Type (See back of page)			
Kesponsibi	е гегуон ъ	Ŀ-uıa:	ll	6. НАССР	went Type (see buck of page)			
Certified F				7. Other (list)	$\begin{vmatrix} 1 & 2 \end{vmatrix}$	3_X	4 5	
			2/23/22)					
• CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"								
• VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE BELOW AS "R"								
Section#	C/NC	R	Narrative		-	To Be Co	orrected By	
187	C		Observed creamers at check-out counter f	no longer being col	12 412	Disco	rded	
193	C		Observed these sties and bacon lacking "time			Disco	ided	
345	C		Observed drink fice recently damped in graye hand sink Retrain shalf					
Z17	NC		Observed yellow lids and squit buttles in		usability	Repla	u	
145	NL	ļ	Observed rugs intoile of souther subthy followed to day Retrain Staff					
256	NC		Observed egg cooler lacking through / week					
510	MC		Obscure willing grate over 3-comp s			1 wee	K	
392	NC		Observed turpohe side wall to be !	If your		1.90	,	
433	ہر		Obtal map water realing dangered /			Tiday		
			-					
	Ding room was closed to public the to lack of							
	available staff. PIC said it was not due to staff illness.							
					_			
-								
Received by	y (name and	title	printed);	Inspected by (name and title p	-			
Hally Maderay A.J. Ingram (EHS)								
Received by	y (signature	٧ رو	^ / 1	Inspected by (signature):				
1 Hay Wax								
cc:	- (1	сс:		ce:			
I			I		1			